

Contents

No. 1-2 — 1-240 issued October 1993
 No. 3-4 — 241-482 issued November 1993
 No. 5-6 — 483-722 issued December 1993

- Ahn S, Anderson JA, Sorrells ME, Tanksley SD: Homoeologous relationships of rice, wheat and maize chromosomes 483
- Aikawa J → Murakami K 312
- Alonso JC → Ceglowski P 579
- Ammer H → Wöhl T 305
- Anderson JA → Ahn S 483
- Angelini P → Pè ME 11
- Arisawa M → Sudoh M 351
- Arnaise S → Coppin E 409
- Arnaise S → Debuchy R 667
- Arnold W → Becker A 367
- Arroyo J → Martin H 177
- Atherton TL → Castle LA 504
- Austin PR → Deresiewicz RL 467
- Ballester S → Solar G del 97
- Barth G, Scheuber T: Cloning of the isocitrate lyase gene (*ICL1*) from *Yarrowia lipolytica* and characterization of the deduced protein 422
- Bassam BJ → Caetano-Anollés G 57
- Basyuk EI → Kurepina NE 700
- Beck CF → Gromoff ED von 415
- Becker A, Kleickmann A, Keller M, Arnold W, Pühler A: Identification and analysis of the *Rhizobium meliloti* *exo* AMONP genes involved in exopolysaccharide biosynthesis and mapping of promoters located on the *exo* HKLA-MONP fragment 367
- Bell JB → Pilgrim DB 26
- Benz R → Ludwig A 89
- Beppu T → Murakami K 312
- Binelli G → Pè ME 11
- Bliss FA → Burrow MD 431
- Boidol W → Rauschenbach R 170
- Boitsov A → Ceglowski P 579
- Bormann N → Chen C 685
- Boynton JE → McElwain KB 564
- Brendel M → Li Z 680
- Bridgham JT → Eide DJ 447
- Brown NH → Greene JR 542
- Browse J → Lightner J 595
- Brückner R → Wagner E 33
- Burrow MD, Ludden PW, Bliss FA: Suppression of phaseolin and lectin in seeds of common bean, *Phaseolus vulgaris* L.: increased accumulation of 54 kDa polypeptides is not associated with higher seed methionine concentrations 431
- Buttgereit D, Renkawitz-Pohl R: Expression of β 1 tubulin (β Tub56D) in *Drosophila* testis stem cells is regulated by a short upstream sequence while intron elements guide expression in somatic cells 263
- Caetano-Anollés G, Bassam BJ, Gresshoff PM: Enhanced detection of polymorphic DNA by multiple arbitrary amplicon profiling of endonuclease-digested DNA: identification of markers tightly linked to the supernodulation locus in soybean 57
- Cantwell R → McEntee CM 213
- Carrer H, Hockenberry TN, Svab Z, Maliga P: Kanamycin resistance as a selectable marker for plastid transformation in tobacco 49
- Carroll B → Yang C-H 389
- Carter JR, Franden MA, Lippincott JA, McHenry CS: Identification, molecular cloning and characterization of the gene encoding the γ subunit of DNA polymerase III holoenzyme of *Escherichia coli* 399
- Casselton LA → Challen MP 474
- Castle LA, Errampalli D, Atherton TL, Franzmann LH, Yoon ES, Meinke DW: Genetic and molecular characterization of embryonic mutants identified following seed transformation in *Arabidopsis* 504
- Ceglowski P, Boitsov A, Karamayan N, Chai S, Alonso JC: Characterization of the effectors required for stable inheritance of *Streptococcus pyogenes* pSM19035-derived plasmids in *Bacillus subtilis* 579
- Chai S → Ceglowski P 579
- Challen MP, Elliott TJ, Kües U, Casselton LA: Expression of *A* mating type genes of *Coprinus cinereus* in a heterologous basidiomycete host 474
- Chen C, Bormann N, Cleary PP: VirR and Mry are homologous *trans*-acting regulators of M protein and Csa peptidase expression in group A streptococci 685
- Chevillard S → Silber J 42
- Chung SS → Prakash-Cheng A 491
- Cleary PP → Chen C 685
- Coen D → Ronsseray S 115
- Consonni G → Dolfini S 161
- Contamine V → Coppin E 409
- Cooper VJC, Salmond GPC: Molecular analysis of the major cellulase (CelV) of *Erwinia carotovora*: evidence for an evolutionary "mix-and-match" of enzyme domains 341
- Copeland WC → Francesconi S 457
- Coppin E, Arnaise S, Contamine V, Picard M: Deletion of the mating-type sequences in *Podospora anserina* abolishes mating without affecting vegetative functions and sexual differentiation 409
- Coupland G → Long D 627
- Cullum J → Redenbach M 255
- Dani M → Pè ME 11
- Das HK → Manna AC 719
- Debuchy R, Arnaise S, Lecellier G: The *mat* — allele of *Podospora anserina* contains three regulatory genes required for the development of fertilized female organs 667
- Dehio C, Schell J: Stable expression of a single-copy *rolA* gene in transgenic *Arabidopsis thaliana* plants allows an exhaustive mutagenic analysis of the transgene-associated phenotype 359
- Deresiewicz RL, Austin PR, Hovde CJ: The role of tyrosine-114 in the enzymatic activity of the Shiga-like toxin I A-chain 467
- Devaux P, Kilian A, Kleinohs A: Anther culture and *Hordeum bulbosum*-derived barley doubled haploids: mutations and methylation 674
- DiDomenico BJ → Greene JR 542
- Díez B → Fierro F 573
- Dignard D → Leberer E 241
- Doi M → Sudoh M 351
- Dolfini S, Consonni G, Mereghetti M, Tonelli C: Antiparallel expression of the sense and antisense transcripts of maize α -tubulin genes 161
- Drebot MA, Johnston GC, Friesen JD, Singer RA: An impaired RNA polymerase II activity in *Saccharomyces cerevisiae* causes cell-cycle inhibition at START 327
- Eide DJ, Bridgham JT, Zhao Z, Mattoon JR: The vacuolar H⁺-ATPase of *Saccharomyces cerevisiae* is required for efficient copper detoxification, mitochondrial function, and iron metabolism 447
- Eide DJ → Greene JR 542
- Elliott TJ → Challen MP 474
- Errampalli D → Castle LA 504
- Espinosa M → Solar G del 97
- Fagerström R → Saarela R 497
- Fiedler G → Krügel H 193
- Fierro F, Gutiérrez S, Díez B, Martín JF: Resolution of four large chromosomes in penicillin-producing filamentous fungi: the penicillin gene cluster is located on chromosome II (9.6 Mb) in *Penicillium notatum* and chromosome I (10.4 Mb) in *Penicillium chrysogenum* 573
- Flett F → Redenbach M 255
- Francesconi S, Copeland WC, Wang TS-F: In vivo species specificity of DNA polymerase α 457
- Franden MA → Carter JR 399
- Franzmann LH → Castle LA 504
- Friesen JD → Drebot MA 327
- Fujimura K, Tanaka K, Toh-e A: A dominant interfering mutation in *RAS1* of *Saccharomyces cerevisiae* 280
- Gantt JS → Gregerson RG 124

- Gianfranceschi L → Pè ME 11
 Gillham NW → McElwain KB 564
 Glocker I → Redenbach M 255
 Goebel W → Ludwig A 89
 Goodman HM → Shirley BW 586
 Göttfert M → Grob P 531
 Götz F → Wagner E 33
 Grant SR, Hardenack S, Trentmann S, Saedler H: Functional *cis*-element sequence requirements for suppression of gene expression by the TNPA protein of the *Zea mays* transposon En/Spm 153
 Greenblatt J → Liljelund P 694
 Greene JR, Brown NH, DiDomenico BJ, Kaplan J, Eide DJ: The *GEF1* gene of *Saccharomyces cerevisiae* encodes an integral membrane protein; mutations in which have effects on respiration and iron-limited growth 542
 Gregerson RG, Petrowski M, Larson RL, Gantt JS, Vance CP: Molecular analysis of allelic polymorphism at the AAT2 locus of alfalfa 124
 Gresshoff PM → Caetano-Anollés G 57
 Grob P, Michel P, Hennecke H, Göttfert M: A novel response-regulator is able to suppress the nodulation defect of a *Bradyrhizobium japonicum nodW* mutant 531
 Gromoff ED von, Beck CF: Genes expressed during sexual differentiation of *Chlamydomonas reinhardtii* 415
 Gruissem W → Tonkyn JC 141
 Gutiérrez S → Fierro F 573
- Hakola S → Suominen PL 523
 Halda L → Stumpf F 236
 Hamabata T → Ito H 637
 Hänel F → Krügel H 193
 Harcus D → Leberer E 241
 Hardenack S → Grant SR 153
 Hennecke H → Grob P 531
 Hennecke S → Schmehl M 602
 Hernandez R → Orozco E 271
 Hibi T → Nishizawa Y 1
 Higashiyama T → Yamada T 554
 Hill SM, Jobling MG, Lloyd BH, Strike P, Ritchie DA: Functional expression of the tellurite resistance determinant from the IncHI-2 plasmid pMER610 203
 Hirano H → Sassa H 17
 Hockenberry TN → Carrer H 49
 Hohmann S: Characterisation of *PDC2*, a gene necessary for high level expression of pyruvate decarboxylase structural genes in *Saccharomyces cerevisiae* 657
 Hori SH → Ito H 637
 Horinouchi S → Murakami K 312
 Hougan L → Leberer E 241
 Hovde CJ → Deresiewicz RL 467
 Hudson AP → McEntee CM 213
- Ikehashi H → Sassa H 17
 Ingles CJ → Liljelund P 694
 Iordanescu S: Characterization of the *Staphylococcus aureus* chromosomal gene *pcrA*, identified by mutations affecting plasmid pT181 replication 185
 Isernhagen M → Rauschenbach R 170
 Ishimaru S, Saigo K: The *Drosophila forked* gene encodes two major RNAs, which, in *gypsy* or *springer* insertion mutants, are partially or completely truncated within the 5'-LTR of the inserted retrotransposon 647
 Itaya M: Integration of repeated sequences (pBR322) in the *Bacillus subtilis* 168 chromosome without affecting the genome structure 287
 Ito H, Hamabata T, Hori SH: Transcriptional activation of the *Drosophila melanogaster* glucose-6-phosphate dehydrogenase gene by insertion of defective P elements 637
- Jahn A → Schmehl M 602
 Jaquet L, Lollier M, Souciet J-L, Potier S: Genetic analysis of yeast strains lacking negative feedback control: a one-step method for positive selection and cloning of carbamoyl-phosphate synthetase-aspartate transcarbamoylase mutants unable to respond to UTP 81
 Jia Z-P, McCullough N, Wong L, Young PG: The amiloride resistance gene, *carl*, of *Schizosaccharomyces pombe* 298
 Jobling MG → Hill SM 203
 Johnston GC → Drebot MA 327
 Jones J → Yang C-H 389
 Jording D, Pühler A: The membrane topology of the *Rhizobium meliloti* C₄-dicarboxylate permease (DctA) as derived from protein fusions with *Escherichia coli* K12 alkaline phosphatase (PhoA) and β -galactosidase (LacZ) 106
- Kaplan J → Greene JR 542
 Karamayan N → Ceglowski P 579
 Karhunen T, Mäntylä A, Nevalainen KMH, Suominen PL: High frequency one-step gene replacement in *Trichoderma reesei*. I. Endoglucanase I overproduction 515
 Karhunen T → Suominen PL 523
 Keller M → Becker A 367
 Khmel IA → Kurepina NE 700
 Kilian A → Devaux P 674
 Kinoshita T → Kubo T 479
 Kishimoto N → Nishizawa Y 1
 Kleickmann A → Becker A 367
 Kleinhofs A → Devaux P 674
 Kliem R → Redenbach M 255
 Klier H → Wöhl T 305
 Klingmüller W → Stumpf F 236
 Klipp W → Schmehl M 602
 Kolbak D → Piškur J 335
 Koornneef M → Wolters AA 707
 Kramer G → Solar G del 97
 Krügel H, Schumann G, Hänel F, Fiedler G: Nucleotide sequence analysis of five putative *Streptomyces griseus* genes, one of which complements an early function in daunorubicin biosynthesis that is linked to a putative gene cluster involved in TDP-daunosamine formation 193
 Kubo T, Mikami T, Kinoshita T: The sugar beet mitochondrial genome contains an ORF sharing sequence homology with the gene for the 30 kDa subunit of bovine mitochondrial complex I 479
 Kues U → Challen MP 474
 Kumar V, Trick M: Sequence complexity of the *S* receptor kinase gene family in *Brassica* 440
- Kurepina NE, Basyuk EI, Metlitskaya AZ, Zaitsev DA, Khmel IA: Cloning and mapping of the genetic determinants for microcin C51 production and immunity 700
 Kuroda A → Oda Y 380
- Larson RL → Gregerson RG 124
 Lazard D → Orozco E 271
 Leberer E, Dignard D, Harcus D, Hougan L, Whiteway M, Thomas DY: Cloning of *Saccharomyces cerevisiae* *STE5* as a suppressor of a Ste20 protein kinase mutant: structural and functional similarity of Ste5 to Far1 241
 Leblond P → Redenbach M 255
 Lecellier G → Debuchy R 667
 Lee K → Long D 627
 Lemaitre B → Ronsseray S 115
 Le Menn A → Silber J 42
 Li Z, Brendel M: Co-regulation with genes of phospholipid biosynthesis of the *CTR/HNM1*-encoded choline/nitrogen mustard permease in *Saccharomyces cerevisiae* 680
 Lightner J, Pearce G, Ryan CA, Browse J: Isolation of signaling mutants of tomato (*Lycopersicon esculentum*) 595
 Liljelund P, Ingles CJ, Greenblatt J: Altered promoter binding of the TATA box-binding factor induced by the transcriptional activation domain of VP16 and suppressed by TFIIA 694
 Lippincott JA → Carter JR 399
 Lloyd BH → Hill SM 203
 Lohmer S → Mauri I 319
 Lollier M → Jaquet L 81
 Long D, Swinburne J, Martin M, Wilson K, Sundberg E, Lee K, Coupland G: Analysis of the frequency of inheritance of transposed *Ds* elements in *Arabidopsis* after activation by a CaMV 35S promoter fusion to the *Ac* transposase gene 627
 Lottspeich F → Wöhl T 305
 Ludden PW → Burow MD 431
 Ludwig A, Benz R, Goebel W: Oligomerization of *Escherichia coli* haemolysin (HlyA) is involved in pore formation 89
- Maddaloni M → Mauri I 319
 Magdolen V → Wöhl T 305
 Maliga P → Carrer H 49
 Malke H → Mechold U 129
 Manna AC, Das HK: Determination of the size of the *Azotobacter vinelandii* chromosome 719
 Mäntylä AL → Suominen PL 523
 Mäntylä A → Karhunen T 515
 Marincs F, White DWR: Nopaline causes a conformational change in the *NocR* regulatory protein-*nocR* promoter complex of *Agrobacterium tumefaciens* Ti plasmid pTiT37 65
 Martegani E → Mauri I 319
 Martin H, Arroyo J, Sánchez M, Molina M, Nombela C: Activity of the yeast MAP kinase homologue Slk2 is critically required for cell integrity at 37°C 177
 Martin M → Long D 627

- Martin JF → Fierro F 573
 Marxer M → Schmehl M 602
 Masepohl B → Schmehl M 602
 Mattoon JR → Eide DJ 447
 Mauri I, Maddaloni M, Lohmer S, Motto M, Salamini F, Thompson R, Martegani E: Functional expression of the transcriptional activator Opaque-2 of *Zea mays* in transformed yeast 319
 McCullough N → Jia Z-P 298
 McElwain KB, Boynton JE, Gillham NW: A nuclear mutation conferring thiostrepton resistance in *Chlamydomonas reinhardtii* affects a chloroplast ribosomal protein related to *Escherichia coli* ribosomal protein L11 564
 McEntee CM, Cantwell R, Rahman MU, Hudson AP: Transcription of the yeast mitochondrial genome requires cyclic AMP 213
 McHenry CS → Carter JR 399
 Mechold U, Steiner K, Vettermann S, Malke H: Genetic organization of the streptokinase region of the *Streptococcus equisimilis* H46A chromosome 129
 Meinke DW → Castle LA 504
 Mereghetti M → Dolfini S 161
 Metlitskaya AZ → Kurepina NE 700
 Meyer zu Vilsendorf A → Schmehl M 602
 Michel P → Grob P 531
 Michelmore R → Yang C-H 389
 Mikami T → Kubo T 479
 Molina M → Martin H 177
 Mönke E, Schäfer W: Transient and stable gene expression in the fungal maize pathogen *Cochliobolus heterostrophus* after transformation with the β -glucuronidase (GUS) gene 73
 Motto M → Mauri I 319
 Murakami K, Aikawa J, Horinouchi S, Beppu T: Characterization of an Aspartic Proteinase of *Mucor pusillus* expressed in *Aspergillus oryzae* 312
 Nagahashi S → Sudoh M 351
 Nakayama R → Oda Y 380
 Nevalainen KMH → Karhunen T 515
 Nevalainen KMH → Saarelainen R 497
 Nevalainen KMH → Suominen PL 523
 Nishizawa Y, Kishimoto N, Saito A, Hibi T: Sequence variation, differential expression and chromosomal location of rice chitinase genes 1
 Noeske-Jungblut C → Rauschenbach R 170
 Nombela C → Martin H 177
 Oda Y, Nakayama R, Kuroda A, Sekiguchi J: Molecular cloning, sequence analysis, and characterization of a new cell wall hydrolase, Cwll, of *Bacillus licheniformis* 380
 Oelze J → Schmehl M 602
 Ohta A → Sudoh M 351
 Orozco E, Lazard D, Sanchez T, Sanchez MA, Hernandez R, Silva EF: A variable DNA region of *Entamoeba histolytica* is expressed in several transcripts which differ in genetically related clones 271
 Paloheimo M → Saarelainen R 497
 Paumard S → Silber J 42
 Pè ME, Gianfranceschi L, Taramino G, Tarchini R, Angelini P, Dani M, Binelli G: Mapping quantitative trait loci (QTLs) for resistance to *Gibberella zeae* infection in maize 11
 Pearce G → Lightner J 595
 Pedersen MB → Piškur J 335
 Petrowski M → Gregerson RG 124
 Picard M → Coppin E 409
 Piendl W → Redenbach M 255
 Pilgrim DB, Bell JB: Expression of a *Drosophila melanogaster* amber suppressor tRNA^{3^{ser}} in *Caenorhabditis elegans* 26
 Piškur J, Kolbak D, Søndergaard L, Pedersen MB: The dominant mutation *Suppressor of black* indicates that *de novo* pyrimidine biosynthesis is involved in the *Drosophila* tan pigmentation pathway 335
 Potier S → Jaquet L 81
 Prakash-Cheng A, Chung SS, Ryu J: The expression and regulation of *hsdK* genes after conjugative transfer 491
 Pühler A → Becker A 367
 Pühler A → Jording D 106
 Rahman MU → McEntee CM 213
 Rauland U → Redenbach M 255
 Rauschenbach R, Isernhagen M, Noeske-Jungblut C, Boidol W, Siewert G: Cloning sequencing and expression of the gene for cytochrome P450meg, the steroid-15 β -monooxygenase from *Bacillus megaterium* ATCC 13368 170
 Redenbach M, Flett F, Piendl W, Glocker I, Rauland U, Wafzig O, Kliem R, Leblond P, Cullum J: The *Streptomyces lividans* 66 chromosome contains a 1 MB deletogenic region flanked by two amplifiable regions 255
 Renkawitz-Pohl R → Buttgerit D 263
 Ritchie DA → Hill SM 203
 Ronsseray S, Lemaître B, Coen D: Maternal inheritance of P cytotype in *Drosophila melanogaster*: a "pre-P cytotype" is strictly extra-chromosomally transmitted 115
 Ryan CA → Lightner J 595
 Ryu J → Prakash-Cheng A 491
 Saarelainen R, Paloheimo M, Fagerström R, Suominen PL, Nevalainen KMH: Cloning, sequencing and enhanced expression of the *Trichoderma reesei* endoxylanase II (pl 9) gene *xln2* 497
 Saedler H → Grant SR 153
 Saigo K → Ishimaru S 647
 Saito A → Nishizawa Y 1
 Salamini F → Mauri I 319
 Salmond GPC → Cooper VJC 341
 Sanchez MA → Orozco E 271
 Sánchez M → Martin H 177
 Sanchez T → Orozco E 271
 Sassa H, Hirano H, Ikehashi H: Identification and characterization of stylar glycoproteins associated with self-incompatibility genes of Japanese pear, *Pyrus serotina* Rehd. 17
 Schäfer W → Mönke E 73
 Schell J → Dehio C 359
 Scheuber T → Barth G 422
 Schmehl M, Jahn A, Meyer zu Vilsendorf A, Hennecke S, Masepohl B, Schuppler M, Marxer M, Oelze J, Klipp W: Identification of a new class of nitrogen fixation genes in *Rhodobacter capsulatus*: a putative membrane complex involved in electron transport to nitrogenase 602
 Schumann G → Krügel H 193
 Schuppler M → Schmehl M 602
 Scofield S → Yang C-H 389
 Sekiguchi J → Oda Y 380
 Shirley BW, Goodman HM: An *Arabidopsis* gene homologous to mammalian and insect genes encoding the largest proteasome subunit 586
 Siewert G → Rauschenbach R 170
 Silber J, Le Menn A, Chevillard S, Zider A, Paumard S: The *vestigial* locus of *Drosophila melanogaster* is involved in resistance to inhibitors of dTMP synthesis 42
 Silva EF → Orozco E 271
 Singer RA → Drebot MA 327
 Solar G del, Kramer G, Ballester S, Espinosa M: Replication of the promiscuous plasmid pLS1: a region encompassing the minus origin of replication is associated with stable plasmid inheritance 97
 Søndergaard L → Piškur J 335
 Sorrells ME → Ahn S 483
 Souciet J-L → Jaquet L 81
 Steiner K → Mechold U 129
 Strike P → Hill SM 203
 Stumpf F, Halda L, Klingmüller W: pMH2, a small plasmid bearing the *nif* gene cluster of *Enterobacter agglomerans* 333 as an excisable cassette 236
 Sudoh M, Nagahashi S, Doi M, Ohta A, Takagi M, Arisawa M: Cloning of the chitin synthase 3 gene from *Candida albicans* and its expression during yeast-hyphal transition 351
 Sundberg E → Long D 627
 Suominen PL, Mäntylä AL, Karhunen T, Hakola S, Nevalainen KMH: High frequency one-step gene replacement in *Trichoderma reesei*. II. Effects of deletions of individual cellulase genes 523
 Suominen PL → Karhunen T 515
 Suominen PL → Saarelainen R 497
 Svab Z → Carrer H 49
 Swinburne J → Long D 627
 Takagi M → Sudoh M 351
 Tanaka K → Fujimura K 280
 Tanksley SD → Ahn S 483
 Tanksley SD → Wu K-S 225
 Taramino G → Pè ME 11
 Tarchini R → Pè ME 11
 Thomas DY → Leberer E 241
 Thompson R → Mauri I 319
 Toh-e A → Fujimura K 280
 Tonelli C → Dolfini S 161
 Tonkyn JC, Gruissem W: Differential expression of the partially duplicated chloroplast S10 ribosomal protein operon 141
 Trentmann S → Grant SR 153
 Trick M → Kumar V 440

- Vance CP → Gregerson RG 124
 Vergunst AC → Wolters AA 707
 Vettermann S → Mechold U 129
- Wafzig O → Redenbach M 255
 Wagner E, Götz F, Brückner R: Cloning and characterization of the *scrA* gene encoding the sucrose-specific Enzyme II of the phosphotransferase system from *Staphylococcus xylosus* 33
 Wang TS-F → Francesconi S 457
 Werft F van der → Wolters AA 707
 White DWR → Marincs F 65
 Whiteway M → Leberer E 241
 Wilson K → Long D 627
 Wöhl T, Klier H, Ammer H, Lottspeich F, Magdolen V: The *HYP2* gene of *Saccharomyces cerevisiae* is essential for aerobic growth: characterization of different isoforms of the hypusine-containing protein Hyp2p and analysis of gene disruption mutants 305
 Wolters AA, Vergunst AC, Werft F van der, Koornneef M: Analysis of nuclear and organellar DNA of somatic hybrid calli and plants between *Lycopersicon* spp. and *Nicotiana* spp. 707
 Wong L → Jia Z-P 298
 Wu K-S, Tanksley SD: Abundance, polymorphism and genetic mapping of microsatellites in rice 225
 Yamada T, Higashiyama T: Characterization of the terminal inverted repeats and their neighboring tandem repeats in the *Chlorella* CVK1 virus genome 554
 Yamashita I: Isolation and characterization of the *SUD1* gene, which encodes a global repressor of core promoter activity in *Saccharomyces cerevisiae* 616
 Yang C-H, Carroll B, Scofield S, Jones J, Michelmore R: Transactivation of *Ds* elements in plants of lettuce (*Lactuca sativa*) 389
 Yoon ES → Castle LA 504
 Young PG → Jia Z-P 298
- Zaitsev DA → Kurepina NE 700
 Zhao Z → Eide DJ 447
 Zider A → Silber J 42

Indexed in *Current Contents*

